

```
//
// named.conf
//
// Provided by Red Hat bind package to configure the ISC BIND named(8) DNS
// server as a caching only nameserver (as a localhost DNS resolver only).
//
// See /usr/share/doc/bind*/sample/ for example named configuration files.
//

options {

listen-on port 53 { 192.168.2.33; 172.16.102.118;};

#listen-on-v6 port 53 { ::1; };

directory "/var/named";

dump-file "/var/named/data/cache_dump.db";

        statistics-file "/var/named/data/named_stats.txt";

        memstatistics-file "/var/named/data/named_mem_stats.txt";

allow-query{ 192.168.2.32; 172.16.102.122; };

allow-transfer{ 192.168.2.32; 172.16.102.122;};

recursion yes;

dnssec-enable yes;

dnssec-validation yes;

dnssec-lookaside auto;

};

logging {
    channel default_debug {
        file "data/named.run";
        severity dynamic;
    };
};

/*

zone "." IN {

type hint;

file "named.ca";

};

*/
```

0000-cb45-1658-35c3-6ee.txt

```
file "forward.jbrown";
allow-update { none; };
};
zone "2.168.192.in-addr.arpa" IN {
    type master;
    file "reverse.jbrown";
    allow-update { none; };
};
include "/etc/named.rfc1912.zones";
};
view "external" {
    match-clients { !key external; 172.16.102/24; };
    recursion no;
    allow-transfer { 172.16.102/24; };
};
zone "jbrown.local" IN {
    type master;
    file "forward_ext.jbrown";
    allow-update { none; };
};
zone "102.16.172.in-addr.arpa" IN {
    type master;
    file "reverse_ext.jbrown";
    allow-update { none; };
};
include "/etc/named.rfc1912.zones";
};
/*
include "/etc/named.rfc1912.zones";
```

0000-cb45-1658-35c3-6ee.txt

```
*/  
include "/etc/named.root.key";
```